

Telephone:
Fax:
VAT Registration No.:

| | | | |
|------------------------|--|----------------------|-------|
| Name: | | Manufacturer: | Isuzu |
| Address: | | Model: | |
| | | Year: | |
| | | Registration: | |
| Tel - Private: | | Mileage: | |
| Tel - Business: | | Job number: | |

| Dimensions | | | | |
|-------------------------------|----------------------------------|-----------|-----------------|----------------|
| Notes | | | Specified value | Measured value |
| | Wheelbase | mm | 2300\nLWB=2650 | |
| | Track - front/rear | mm | 1390/1400 | |
| Tightening torques | | | | |
| Notes | | | Specified value | Measured value |
| | Tightening torque - steel wheels | | 80-118 Nm | |
| | Tightening torque - alloy wheels | | 108-128 Nm | |
| | Trackrod locknut/clamp | | 98-118 Nm | |
| Checking range - Front wheels | | | | |
| Notes | | | Specified value | Measured value |
| | Load positioning | | unladen | |
| | Toe-in (N = negative, toe-out) | mm | 0 - 2 | |
| | Toe-in | deg | 0° - 0°20' | |
| | Toe-in | deg-1/100 | 0 - 0,34 | |
| | Camber | deg | 0° - 1° | |
| | Camber | deg-1/100 | 0 - 1 | |
| | Castor | deg | 1°30' - 3°30' | |
| | Castor | deg-1/100 | 1,50 - 3,50 | |
| Setting data - Four wheels | | | | |
| Notes | | | Specified value | Measured value |
| | Load positioning | | unladen | |
| | Toe-in (N = negative, toe-out) | mm | 1±1 | |
| | Toe-in | deg | 0°10'±10' | |
| | Toe-in | deg-1/100 | 0,17±0,17 | |
| | Camber | deg | 0°30'±30' | |
| | Camber | deg-1/100 | 0,50±0,50 | |


Manufacturer: Isuzu
Engine code: 4ZE1
Tuned for: +R-Cat

Model: Trooper 2,6
Output: 85 (115) 5000
Year: 1988-92


© Autodata Limited 2004
06-10-21
V5.373- ***/Autodata***

| | | | |
|-------------------|--------------------------|-----------|----------|
| Camber adjustment | | | |
| € | | | |
| | Castor | deg | 2°30'±1° |
| | Castor | deg-1/100 | 2,50±1 |
| | Castor adjustment | | |
| € | | | |
| | KPI (SAI) | deg | 10°±1° |
| | KPI (SAI) | deg-1/100 | 10±1 |
| | Included angle | deg | 10°30' |
| | Included angle | deg-1/100 | 10,50 |
| | Lock angles - max. inner | deg | 35° |
| | Lock angles - max. inner | deg-1/100 | 35 |
| | Lock angles - max. outer | deg | 32° |
| | Lock angles - max. outer | deg-1/100 | 32 |

Camber adjustment



Castor adjustment



Manufacturer: Isuzu
Engine code: 4ZE1
Tuned for: +R-Cat

Model: Trooper 2,6
Output: 85 (115) 5000
Year: 1988-92

© Autodata Limited 2004
06-10-21
V5.373- **/Autodata**